

FED. SUP CLASS.
6645

DIAL AND POINTERS SHOWN
FOR REF ONLY. SEE PROCUREMENT
SPECIFICATION FOR DETAIL REQUIREMENTS.

ELECTRICAL CONNECTOR
TO MATE WITH UCS-3-11N
(CANNON ELECTRIC CO.)

CASE IN ACCORDANCE
WITH MS33639
(2 INCH SIZE)
EXCEPT AS SHOWN

LAMP
HOUSING

.594 MAX

2.00 MAX

2.453
PANEL MTG HOLES (REF)

1.203 (REF)

.219 R

90°

45°

PANEL MOUNTING

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED TOLERANCES: DECIMALS $\pm .005$. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH MIL-STD-8.

①

CANCELLED AS OF 16 MARCH 1981

NO SUPERSEDING DOCUMENT.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

① PROCUREMENT SPECIFICATION NUMBER CORRECTED

P.A. NAVY - AS Other Cust	TITLE CLOCK, AIRCRAFT, MECHANICAL	MILITARY STANDARD
PROCUREMENT SPECIFICATION MIL-C-81455(AS)	SUPERSEDES:	MS 90462 (AS)
		SHEET 1 OF 1

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATE NO. 17706

☆U.S. GOVERNMENT PRINTING OFFICE: 1981 - 703-023/2182

This standard has been approved by the NAVAL AIR SYSTEMS COMMAND Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

APPROVED 30 JANUARY 1967 REVISED ① 20 MAY 1967 ② 16 MARCH 1981