


FED. SUP CLASS
5315

| LIGHT | | | | | |
|----------|--------------|--------|----------|----------------------|---------------|
| DASH NO. | COMM. DESIG. | LENGTH | DIAMETER | NO. PER LB. (APPROX) | MATERIAL CODE |
| -1A | 6 d | 2 | 3/16 | 59 | A |
| -1B | 6 d | 2 | 3/16 | | B |
| -1C | 6 d | 2 | 3/16 | | C |
| -2A | 8 d | 2 1/2 | 3/16 | 48 | A |
| -2B | 8 d | 2 1/2 | 3/16 | | B |
| -2C | 8 d | 2 1/2 | 3/16 | | C |
| -3A | 10 d | 3 | 1/4 | 21 | A |
| -3B | 10 d | 3 | 1/4 | | B |
| -3C | 10 d | 3 | 1/4 | | C |
| -4A | 12 d | 3 1/4 | 1/4 | 19 | A |
| -4B | 12 d | 3 1/4 | 1/4 | | B |
| -4C | 12 d | 3 1/4 | 1/4 | | C |
| -5A | 16 d | 3 1/2 | 1/4 | 18 | A |
| -5B | 16 d | 3 1/2 | 1/4 | | B |
| -5C | 16 d | 3 1/2 | 1/4 | | C |

1. Light boat nails shall have a chisel point, oval countersunk head, smooth shank.
2. Material code designations are defined as follows:
 - Code A - Zinc-coated steel.
 - Code B - Copper silicon alloy in accordance with MIL-C-17516.
 - Code C - Austenitic corrosion resisting steel having a magnetic permeability of 2.0 maximum in fields of 100 to 200 oersteds.
3. Dimensions are in inches.
4. For design feature purposes, this standard takes precedence over procurement documents referenced herein.
5. Referenced documents shall be of the issue in effect on date of invitation for bid.
6. The MS part number consists of the MS number plus the dash number.

APPROVED 18 DEC 1962 REVISED

| | | |
|---------------------------|-------------|-------------------|
| P.A. DOCKS | TITLE | MILITARY STANDARD |
| Other Cust CE MOA | NAILS, BOAT | MS 90709 |
| Procurement Specification | SUPERSEDES: | SHEET 1 OF 1 |

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.