


NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way applied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
5315



DASH NO.	COMM. DESIG.	LENGTH	COATING	NO. PER LB. (APPROX)
-1	2 d	1	Zinc	580
-2	4 d	1 1/2	Zinc	275
-3	6 d	2	Zinc	141
-4	8 d	2 1/2	Zinc	92
-5	10 d	3	Zinc	54
-6	16 d	3 1/2	Zinc	29
-7	20 d	4	Zinc	24
-8	30 d	4 1/2	Zinc	18
-9	40 d	5	Zinc	16
-10	60 d	6	Zinc	9
-11	8 d	2 1/2	Uncoated	96
-12	10 d	3	Uncoated	56
-13	16 d	3 1/2	Uncoated	30
-14	20 d	4	Uncoated	25

1. Common cut nails shall be blunt point, flat head, wedge shank, uncoated (bright) or zinc-coated steel nails.
2. Length is in inches.
3. For design feature purposes, this standard takes precedence over procurement documents referenced herein.
4. Referenced documents shall be of the issue in effect on date of invitation for bid.
5. The MS part number consists of the MS number plus the dash number.

APPROVED 18 DEC 1962 REVISED

P.A. DOCKS	TITLE	MILITARY STANDARD
Other Cust CE MOA	NAILS, COMMON; CUT	MS 90712
Procurement Specification FF-S-606	SUPERSEDES:	SHEET 1 OF 1