

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
5315



PLAIN				
DASH NO.	INSIDE LENGTH	WIRE SIZE	COATING	NO. PER LB. (APPROX)
-1	3/8	.072	Uncoated	980
-2	5/8	.072	Coppered	590
-3	3/4	.072	Coppered	500



INSULATED			
DASH NO.	COMM. DESIG.	INSIDE LENGTH	INSIDE WIDTH
-4	1	1/2	3/16
-5	5	5/8	1/4
-6	3	3/4	3/16
-7	6	3/4	1/4
-8	7	7/8	1/4
-9	10	7/8	7/16

1. Plain wiring staples shall be uncoated (bright) or coppered steel, squarestock.
2. Insulated wiring staples shall be insulated coppered steel, rectangular stock.
3. Dimensions are in inches.
4. For design feature purposes, this standard takes precedence over procurement documents referenced herein.
5. Referenced documents shall be of the issue in effect on date of invitation for bid.
6. The MS part number consists of the MS number plus the dash number.

APPROVED 18 DEC 1962 REVISED

P.A. DOCKS	TITLE STAPLES, WIRING; ELECTRICIAN'S	MILITARY STANDARD	
Other Cust CE MOA		MS	90721
Procurement Specification	SUPERSEDES:	SHEET 1 OF 1	