



TABLE 1 DASH NUMBERS AND DIMENSIONS

DASH NUMBER			TACK, CUT				
STEEL BLUED	STEEL ZINC COATED	COPPER	COMM DES	ØA	ØH (APPROX)	L ± 1/32	NO/LB (APPROX)
1			2	046	156	1/4	7390
2		13	3	049	171	3/8	2286 <sup>1/</sup> 2820 <sup>2/</sup>
3			4	054	187	7/16	1732
4	9	14	6	058	187	1/2	1588 <sup>1/</sup> 1760 <sup>2/</sup> 1570 <sup>3/</sup>
5			8	062	218	9/16	1400
6	10	15	10	064	250	5/8	1178 <sup>1/</sup> 1200 <sup>2/</sup> 1010 <sup>3/</sup>
7	11	16	14	069	281	3/4	901 <sup>1/</sup> 800 <sup>2/</sup> 720 <sup>3/</sup>
8	12	17	18	078	281	7/8	665 <sup>1/</sup> 640 <sup>2/</sup> 560 <sup>3/</sup>
		18	22	083	.312	1	430

- 1/ STEEL, BLUED  
2/ STEEL, ZINC COATED  
3/ COPPER

Ⓐ ENTIRE STANDARD REVISED

P.A. ARMY - AR Other: GSA NAVY - YD AIR FORCE-99		INTERNATIONAL INTEREST	TITLE <b>TACK, CUT</b>	<b>MILITARY STANDARD</b> <b>MS90722</b>	
PROCUREMENT SPECIFICATION FF-T-1813		SUPERSEDES		PAGE 1	OF 2

**DISTRIBUTION STATEMENT A** Approved for public release, distribution is unlimited  
This military standard is approved for use by all Departments and Agencies of the Department of Defense  
Department for all new engineering and design applications and for repetitive use shall be made from this  
document when applicable

AMSC N/A

DD FORM 1, 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5315 - 0429

APPROVED 18 DEC 62  
REVISED Ⓐ 25 JAN 88

REVIEWER ACTIVITIES: CIVIL, AMERICAN COMMUNITY ACTIVITIES  
ARMY-CE, ME GSA - FSS  
NAVY-SA  
AIR FORCE-82

USER ACTIVITIES  
ARMY-AM, MI  
NAVY-AS, MC, SH

FED SUP CLASS  
5315

## REQUIREMENTS:

1. MATERIAL CUT TACK SHALL BE MANUFACTURED FROM STEEL OR COPPER IN ACCORDANCE WITH PROCUREMENT SPECIFICATION
2. CHARACTERISTICS CUT TACK SHALL HAVE FLAT HEAD AND SIDE POINT, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION
3. PROTECTIVE COATING AND SURFACE TREATMENT CUT TACK SHALL BE BLUED IN ACCORDANCE WITH PROCUREMENT SPECIFICATION OR ZINC COATED IN ACCORDANCE WITH ASTM B633, TYPE 11, CLASS FE/ZNL3, LUSTER BRIGHT
4. PART NUMBER THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE 1

EXAMPLE MS90722-10

DASH NUMBER

BASIC MS NUMBER

MS90722-10 INDICATES- TACK, COMM. DES 10, 5/8 LONG, STEEL, ZINC COATED

## NOTES

1. ALL DIMENSIONS ARE IN INCHES
2. IN THE EVENT OF CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE
3. REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN

REVIEWER ACTIVITIES: GSA - FSS  
ARMY - CE, ME  
NAVY - SA  
AIR FORCE - 82

USER ACTIVITIES:  
ARMY - A, MI  
NAVY - AS, MC, SH

This military standard is approved for use by all Departments and Agencies of the Department of Defense  
Selection for all new engineering and design applications and for repetitive use shall be made from this  
document when applicable

APPROVED 18 DEC 62 REVISED (A) FOR CHANGES SEE PAGES 1 AND 2

PA ARMY-AR Other Cast NAVY-YD AIR FORCE-99	INTERNATIONAL INTEREST	TITLE  TACK, CUT	MILITARY STANDARD MS90722
PROCUREMENT SPECIFICATION FF-T-1813	SUPSEDES	PAGE 2 OF 2	