

3288


FED. SUP CLASS  
5310

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NUMBER	NOM TUBE OD	THREAD T	A	B	F MIN	ØH ±.005	J BASIC	ØH	ØN	P BASIC	APPROX WEIGHT LB/100
-02	.125	.3125-24 UNJF-3B	.553-.564	.219	.631	.047	.240	.562	.322	.110	1.25
-03	.188	.375-24 UNJF-3B	.616-.627	.219	.703	.047	.270	.625	.385	.110	1.44
-04	.250	.4375-20 UNJF-3B	.679-.690	.250	.775	.047	.305	.688	.448	.125	1.92
-05	.312	.500-20 UNJF-3B	.741-.752	.250	.846	.055	.340	.750	.510	.125	2.18
-06	.375	.5625-18 UNJF-3B	.803-.814	.266	.916	.055	.370	.812	.572	.133	2.56
-07	.438	.625-18 UNJF-3B	.865-.877	.266	.987	.055	.405	.875	.635	.133	2.87
-08	.500	.750-16 UNJF-3B	.990-1.002	.312	1.130	.062	.470	1.000	.760	.157	4.04
-09	.562	.8125-16 UNJ-3B	1.052-1.064	.312	1.200	.062	.500	1.062	.822	.157	4.24
-10	.625	.875-14 UNJF-3B	1.114-1.127	.359	1.271	.062	.540	1.125	.885	.180	5.45
-11	.688	1.000-12 UNJF-3B	1.301-1.314	.406	1.484	.070	.625	1.312	1.010	.204	8.79
-12	.750	1.0625-12 UNJ-3B	1.364-1.377	.406	1.556	.070	.660	1.375	1.072	.204	9.37
-14	.875	1.1875-12 UNJ-3B	1.489-1.502	.406	1.699	.070	.725	1.500	1.198	.204	10.45
-16	1.000	1.3125-12 UNJ-3B	1.614-1.627	.406	1.842	.070	.790	1.625	1.322	.204	11.68
-18	1.125	1.500-12 UNJF-3B	1.800-1.814	.406	2.054	.070	.890	1.812	1.510	.204	13.47
-20	1.250	1.625-12 UNJ-3B	1.926-1.940	.406	2.198	.070	.960	1.938	1.635	.204	14.76
-24	1.500	1.875-12 UNJ-3B	2.176-2.190	.406	2.483	.070	1.095	2.188	1.885	.204	17.23
-28	1.750	2.250-12 UNJ-3B	2.549-2.564	.406	2.908	.070	1.295	2.562	2.260	.204	21.32
-32	2.000	2.500-12 UNJ-3B	2.799-2.814	.406	3.194	.070	1.425	2.812	2.510	.204	24.19

B ENTIRE STANDARD REVISED

P.A. NAVY-AS Other Curt	INTERNATIONAL INTEREST	TITLE NUT, PLAIN, HEX, BOSS CONNECTION, CORROSION RESISTANT STEEL	MILITARY STANDARD MS9201
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	PAGE 1	OF 2

APPROVED 15 OCT 58  
REVISED B 30 SEP 86

**DISTRIBUTION STATEMENT A** Approved for public release; distribution is unlimited  
This military standard is approved for use by all Departments and Agencies of the Department of Defense.  
Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable

USER ACTIVITIES  
ARMY-AT, ER, MEREVIEWER ACTIVITIES  
AIR FORCE - II  
DLA - IS

AMSC N/A

DD FORM 1 MAY 72 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5310-1562

USER ACTIVITIES:  
ARMY-AT, ER, ME

REVIEWER ACTIVITIES:  
AIR FORCE-11  
DLA-1S

This military standard is approved for use by all Departments and Agencies of the Department of Defense.  
Instructions for all new engineering and design applications and for repetitive use shall be made from this document.

FED SUP CLASS  
5310

# REQUIREMENTS:

1. MATERIAL. CORROSION RESISTANT STEEL IN ACCORDANCE WITH AMS 5646-82.
2. FINISH. SILVER PLATE IN ACCORDANCE WITH AMS 2410 THICKNESS .0003-.0006. DIMENSIONS SPECIFIED ARE AFTER PLATING.
3. THREADS. THREADS SHALL BE IN ACCORDANCE WITH MIL-S-8879.
4. SURFACE TEXTURE. SURFACE TEXTURE SHALL BE IN ACCORDANCE WITH AS291-64.
5. MARKING. IN MULTIPLE MARKING OF BAR STOCK, DUPLICATION OF WHOLE OR PART OF SYMBOL OR OFFSET OF SYMBOL SUCH THAT UPPER PORTION APPEARS BELOW LOWER PORTION ON FINISHED PART IS PERMISSIBLE PROVIDED POSITIVE IDENTIFICATION IS SHOWN. PARTS SHALL BE MARKED BEFORE THREADING.
6. EDGES. BREAK SHARP EDGES .003-.015, UNLESS OTHERWISE SPECIFIED.
7. TOLERANCES. UNLESS OTHERWISE SPECIFIED, TOLERANCES FOR LINEAR DIMENSIONS  $\pm .010$ , FOR ANGULAR DIMENSIONS  $\pm 5^\circ$
8. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I

EXAMPLE: MS9201-02

└── DASH NUMBER  
└── BASIC MS NUMBER

MS9201-02 INDICATES - NUT, PLAIN, HEXAGON, BOSS CONNECTION, .3125-24 UNJF-3B.

## NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. DO NOT USE UNASSIGNED PART NUMBERS.
3. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE
4. REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.
5. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE.
6. AS AND AMS ARE SAE PUBLICATIONS.

APPROVED 15 OCT 58 REVISED (B) FOR CHANGES SEE PAGES I AND 2

P. A. NAVY-AS Other Cost	INTERNATIONAL INTEREST	TITLE NUT, PLAIN, HEX, BOSS CONNECTION, CORROSION RESISTANT STEEL	MILITARY STANDARD MS9201
ARMY-AV			
PROCUREMENT SPECIFICATION NONE	SUPERSEDED	PAGE 2 OF 2	

DD FORM 672-1 (COORDINATED)  
1 MAY 75

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5310-1562