

FED SUP CLASS
5307

USER ACTIVITIES




TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	A	B + .000 - .060	C	L REF	APPROX WEIGHT LBS/100	DASH NUMBER	A	B + .000 - .060	C	L REF	APPROX WEIGHT LBS/100
-001	.375	✓	.375	.906	.99	-050	.438	✓	.375	.968	1.04
-002	.375	✓	.438	.968	1.04	-051	.438	✓	.438	1.031	1.07
-003	.375	✓	.500	1.031	1.07	-052	.438	✓	.500	1.094	1.13
-004	.375	✓	.562	1.094	1.13	-053	.438	✓	.562	1.156	1.16
-005	.375	✓	.625	1.156	1.16	-054	.438	✓	.625	1.219	1.18
-006	.375	✓	.688	1.219	1.18	-055	.438	✓	.688	1.281	1.27
-007	.375	.125	.750	1.281	1.27	-056	.438	.125	.750	1.344	1.27
-008	.375	.188	.812	1.344	1.27	-057	.438	.188	.812	1.406	1.33
-009	.375	.250	.875	1.406	1.33	-058	.438	.250	.875	1.469	1.38
-010	.375	.312	.938	1.469	1.38	-059	.438	.312	.938	1.531	1.41
-011	.375	.375	1.000	1.531	1.41	-060	.438	.375	1.000	1.594	1.44
-012	.375	.438	1.062	1.594	1.44	-061	.438	.438	1.062	1.656	1.47
-013	.375	.500	1.125	1.656	1.47	-062	.438	.500	1.125	1.719	1.52
-014	.375	.562	1.188	1.719	1.52	-063	.438	.562	1.188	1.781	1.55
-015	.375	.625	1.250	1.781	1.55	-064	.438	.625	1.250	1.844	1.61
-016	.375	.688	1.312	1.844	1.61	-065	.438	.688	1.312	1.906	1.64
-017	.375	.750	1.375	1.906	1.64	-066	.438	.750	1.375	1.969	1.69
-018	.375	.812	1.438	1.969	1.69	-067	.438	.812	1.438	2.031	1.72
-019	.375	.875	1.500	2.031	1.72	-068	.438	.875	1.500	2.093	1.78
-020	.375	.938	1.562	2.093	1.78	-069	.438	.938	1.562	2.156	1.81
-021	.375	1.000	1.625	2.156	1.81	-070	.438	1.000	1.625	2.219	1.83
-022	.375	1.062	1.688	2.219	1.83	-071	.438	1.062	1.688	2.281	1.89
-023	.375	1.125	1.750	2.281	1.89	-072	.438	1.125	1.750	2.344	1.92

(B) ENTIRE STANDARD REVISED

P A NAVY-AS Other Cust	INTERNATIONAL INTEREST	TITLE STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 NF-3A X .190-32 NF-3A	MILITARY STANDARD MS9308
AIR FORCE-99			
PROCUREMENT SPECIFICATION AMS 7452-73	SUPERSEDES:		PAGE 1 OF 2

C N/A

DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5307-0442

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited

This military standard is approved for use by all Departments and Agencies of the Department of Defense

Selection for all new engineering and design applications and for repetitive use shall be made from this document, when applicable.

REVIEWER ACTIVITIES
AIR FORCE -82
DLA -IS

APPROVED 24 FEB 60 REVISED (B) 22 MAY 86

USER ACTIVITIES.

REVIEWER ACTIVITIES.
AIR FORCE-82
DLA-ISThis military standard is approved for use by all Departments and Agencies of the Department of Defense
in connection with all new engineering and design applications and for repetitive use shall be made from this
document, when applicable.

TABLE 1. DASH NUMBERS AND DIMENSIONS - CONTINUED

FED SUP CLASS
5307

DASH NUMBER	A	B + .000 -.060	C	L REF	APPROX WEIGHT LBS/100	DASH NUMBER	A	B + .000 -.060	C	L REF	APPROX WEIGHT LBS/100
-100	.500	1/	.375	1.031	1.07	-150	.562	1/	.375	1.094	1.13
-101	.500	1/	.438	1.094	1.13	-151	.562	1/	.438	1.156	1.16
-102	.500	1/	.500	1.156	1.16	-152	.562	1/	.500	1.219	1.18
-103	.500	1/	.562	1.219	1.18	-153	.562	1/	.562	1.281	1.27
-104	.500	1/	.625	1.281	1.27	-154	.562	1/	.625	1.344	1.27
-105	.500	1/	.688	1.344	1.27	-155	.562	1/	.688	1.406	1.33
-106	.500	.125	.750	1.406	1.33	-156	.562	.125	.750	1.469	1.38
-107	.500	.188	.812	1.469	1.38	-157	.562	.188	.812	1.531	1.41
-108	.500	.250	.875	1.531	1.41	-158	.562	.250	.875	1.594	1.44
-109	.500	.312	.938	1.594	1.44	-159	.562	.312	.938	1.656	1.47
-110	.500	.375	1.000	1.656	1.47	-160	.562	.375	1.000	1.719	1.52
-111	.500	.438	1.062	1.719	1.52	-161	.562	.438	1.062	1.781	1.55
-112	.500	.500	1.125	1.781	1.55	-162	.562	.500	1.125	1.844	1.61
-113	.500	.562	1.188	1.844	1.61	-163	.562	.562	1.188	1.906	1.64
-114	.500	.625	1.250	1.906	1.64	-164	.562	.625	1.250	1.969	1.69
-115	.500	.688	1.312	1.969	1.69	-165	.562	.688	1.312	2.031	1.72
-116	.500	.750	1.375	2.031	1.72	-166	.562	.750	1.375	2.094	1.78
-117	.500	.812	1.438	2.094	1.78	-167	.562	.812	1.438	2.156	1.81
-118	.500	.875	1.500	2.156	1.81	-168	.562	.875	1.500	2.218	1.83
-119	.500	.938	1.562	2.218	1.83	-169	.562	.938	1.562	2.281	1.89
-120	.500	1.000	1.625	2.281	1.89	-170	.562	1.000	1.625	2.344	1.92
-121	.500	1.062	1.688	2.344	1.92	-171	.562	1.062	1.688	2.406	1.98
-122	.500	1.125	1.750	2.406	1.98	-172	.562	1.125	1.750	2.469	2.00

1/ THREAD TO HEAD, MAXIMUM TWO INCOMPLETE THREADS

REQUIREMENTS:

1. MATERIAL: STEEL IN ACCORDANCE WITH AMS 6322-80
2. FINISH: CADMIUM PLATE IN ACCORDANCE WITH AMS 2400-80
3. HARDNESS: 26-32HRC.
4. DIMENSIONING AND TOLERANCING: DIMENSIONING AND TOLERANCING SHALL BE IN ACCORDANCE WITH ANSI Y14.5M
5. THREADS: THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28/2 ACCEPTABILITY OF SCREW THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28/20, SYSTEM 22.
6. SURFACE TEXTURE: SURFACE TEXTURE SHALL BE IN ACCORDANCE WITH AS291-64.
7. MAGNETIC PARTICLE INSPECTION: MAGNETIC PARTICLE INSPECTION SHALL BE IN ACCORDANCE WITH AMS 2640-83
8. MARKING: MATERIAL IDENTIFICATION AND MARKING IN ACCORDANCE WITH AMS 2800-76. DEPRESSED .010 MAX
9. TOLERANCE: UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE LINEAR DIMENSIONS $\pm .010$, ANGULAR DIMENSIONS $\pm 5^\circ$.
10. EDGES: BREAK SHARP EDGES .003 - .015, UNLESS OTHERWISE SPECIFIED.
11. PART NUMBER: THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE 1

EXAMPLE: MS9308-001

DASH NUMBER

BASIC MS NUMBER

MS9308-001 INDICATES: STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL;
.190-32 NF-3A X .190-32 NF-3A, LENGTH .906.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. DO NOT USE UNASSIGNED PART NUMBERS
3. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE
4. REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN
5. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE SAE AEROSPACE PROPULSION DIVISION
6. AS AND AMS ARE SAE PUBLICATIONS.

P A NAVY-AS Other Cust ARMY-AR AIR FORCE-99	INTERNATIONAL INTEREST	TITLE STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 NF-3A X .190-32 NF-3A	MILITARY STANDARD MS9308
PROCUREMENT SPECIFICATION AMS-7452-73	SUPERSEDES:	PAGE 2 OF 2	

DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5307-0442

APPROVED 24 FEB 60 REVISED (B) FOR CHANGES SEE PAGES 1 AND 2