


MS9467(ASG)FED SUP CLASS
5315MARK MS9467-XX AND MANUFACTURERS
IDENTIFICATION PER AS 478 CLASS A
ARRANGEMENT OPTIONAL

PART NUMBER	A	L	APPROX WEIGHT LB/100	PART NUMBER	A	L	APPROX WEIGHT LB/100	PART NUMBER	A	L	APPROX WEIGHT LB/100
MS9467-10	.517	.750	3.45	MS9467-20	1.142	1.375	6.10	MS9467-35	2.079	2.312	10.08
MS9467-11	.579	.812	3.72	MS9467-21	1.204	1.438	6.37	MS9467-36	2.142	2.375	10.35
MS9467-12	.642	.875	3.98	MS9467-22	1.267	1.500	6.63	MS9467-37	2.204	2.438	10.61
MS9467-13	.704	.938	4.25	MS9467-23	1.329	1.562	6.90	MS9467-38	2.267	2.500	10.88
MS9467-14	.767	1.000	4.51	MS9467-24	1.392	1.625	7.16	MS9467-39	2.329	2.562	11.14
MS9467-15	.829	1.062	4.78	MS9467-25	1.454	1.688	7.43	MS9467-40	2.392	2.625	11.41
MS9467-16	.892	1.125	5.04	MS9467-26	1.517	1.750	7.69	MS9467-41	2.454	2.688	11.67
MS9467-17	.954	1.188	5.31	MS9467-27	1.579	1.812	7.96	MS9467-42	2.517	2.750	11.94
MS9467-18	1.017	1.250	5.57	MS9467-28	1.642	1.875	8.22	MS9467-43	2.579	2.812	12.20
MS9467-19	1.079	1.312	5.84	MS9467-29	1.704	1.938	8.49	MS9467-44	2.642	2.875	12.47
				MS9467-30	1.767	2.000	8.75	MS9467-45	2.704	2.938	12.74
				MS9467-31	1.829	2.062	9.02	MS9467-46	2.767	3.000	13.00
				MS9467-32	1.892	2.125	9.29				
				MS9467-33	1.954	2.188	9.56				
				MS9467-34	2.017	2.250	9.82				

1. MATERIAL CORROSION AND HEAT RESISTANT STEEL AMS 5735.
2. SURFACE ROUGHNESS AS 291 UNLESS OTHERWISE SPECIFIED, SURFACES TO BE 125 MICROINCHES.
3. PART SUBJECT TO FLUORESCENT PENETRANT INSPECTION PER AMS 2645.
4. BREAK SHARP EDGES .003-.015 UNLESS OTHERWISE SPECIFIED.
5. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES LINEAR DIMENSIONS $\pm .010$, ANGULAR DIMENSIONS $\pm 5^\circ$
6. DO NOT USE UNASSIGNED PART NUMBERS

AS & AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS.
THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE

P.A.	USAF - 11	TITLE	MILITARY STANDARD
Other Cust	Navy - WP	PIN, STRAIGHT, HEADED .436 DIAMETER, AMS 5735	MS9467 (ASG)
PROCUREMENT SPECIFICATION	SUPSEDES	SHEET 1 OF 1	

This standard has been approved by the Department of the Air Force (11) and the Department of the Navy and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

Review and User Activities: USAF - 11 Navy - WP

APPROVED 6 Nov 61 REVISED