



Review activities:  
 AF - 11  
 Navy - WF

MS9549(ASG)

FED SUP CLASS  
5310



PART NUMBER	NOMINAL SIZE	A +.010 -.005	B +.010 -	C	APPROX WEIGHT LB/100
MS9549-04	.099	.119	.250	.014 - .018	.02
MS9549-05	.112	.135	.312	.014 - .018	.03
MS9549-06	.125	.150	.312	.014 - .018	.03
MS9549-07	.138	.159	.375	.014 - .018	.04
MS9549-08	.164	.184	.375	.014 - .018	.04
MS9549-09	.190	.213	.438	.028 - .036	.11
MS9549-10	.250	.276	.500	.028 - .036	.13
MS9549-11	.312	.338	.562	.028 - .036	.15
MS9549-12	.375	.401	.625	.028 - .036	.17
MS9549-13	.438	.463	.750	.028 - .036	.25
MS9549-14	.500	.526	.812	.028 - .036	.27
MS9549-15	.562	.588	.938	.028 - .036	.39
MS9549-16	.625	.651	1.000	.028 - .036	.42
MS9549-17	.750	.776	1.188	.028 - .036	.60
MS9549-18	.875	.901	1.375	.028 - .036	.78
MS9549-19	1.000	1.026	1.562	.028 - .036	1.01

1. MATERIAL: CORROSION RESISTANT STEEL AMS 5510.
2. WASHER FACES SHALL BE FLAT WITHIN .003 AND PARALLEL WITHIN .002 FIR.
3. REMOVE BURRS AND SHARP EDGES.
4. SURFACE ROUGHNESS: AS 291.
5. DIAMETERS A AND B TO BE CONCENTRIC WITHIN .010 FIR.
6. DIMENSIONS IN INCHES.
7. IDENTIFICATION: MARK PART NUMBER AND MANUFACTURER'S IDENTIFICATION ON CONTAINER.
8. DO NOT USE UNASSIGNED PART NUMBERS.

SAE J 487 ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS.

THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE & PROPELLER UTILITY PARTS COMMITTEE OF THE SAE.

PA USARF - 11	TITLE	MILITARY STANDARD
Other Cust Navy - WF	WASHER, FLAT - AMS 5510	MS9549(ASG)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 1

This is the best representation of the original drawing and is intended to be used as a reference only. All other military drawings and drawings are subject to change without notice.