



National Aeronautics and  
Space Administration

MSFC-STD-561  
REVISION B  
NOVEMBER 18, 2004

---

**George C. Marshall Space Flight Center**  
Marshall Space Flight Center, Alabama 35812

EI11

## MULTIPROGRAM/PROJECT COMMON-USE DOCUMENT

# **THREADED FASTENERS, REQUIREMENTS FOR SECURING OF FLIGHT HARDWARE USED ON SHUTTLE PAYLOADS AND EXPERIMENTS**

Approved for Public Release; Distribution Unlimited
---

CHECK THE MASTER LIST—  
VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE  
MSFC - Form 454 (Rev. October 1992)

Multiprogram/Project Common-Use Document EI11		
Title: Threaded Fasteners, Requirements for Securing of Flight Hardware used on Shuttle Payloads and Experiments	Document No.: MSFC-STD-561	Revision: B
	Effective Date: 11/18/04	Page 2 of 6

### DOCUMENT HISTORY LOG

Status (Baseline/ Revision/ Canceled)	Document Revision	Effective Date	Description
Baseline	--	--	Baseline Release
Revision	A	2/01/1995	Revision "A" replaces baseline release in its entirety.
Revision	B	11/18/2004	Revision "B" completed due to Center Rules Review.

CHECK THE MASTER LIST VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

Multiprogram/Project Common-Use Document EI11		
Title: Threaded Fasteners, Requirements for Securing of Flight Hardware used on Shuttle Payloads and Experiments	Document No.: MSFC-STD-561	Revision: B
	Effective Date: 11/18/04	Page 3 of 6

## FOREWORD

## CONTENTS

<u>PARAGRAPH</u>	<u>PAGE</u>
<u>DOCUMENT HISTORY LOG</u> .....	2
<u>FOREWORD</u> .....	3
1. <u>SCOPE</u> .....	4
2. <u>APPLICABLE DOCUMENTS</u> .....	4
3. <u>DEFINITIONS</u> .....	4
4. <u>GENERAL REQUIREMENTS</u> .....	5
5. <u>DETAILED REQUIREMENTS</u> .....	5

## 1. SCOPE

CHECK THE MASTER LIST VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

<b>Multiprogram/Project Common-Use Document EI11</b>		
<b>Title: Threaded Fasteners, Requirements for Securing of Flight Hardware used on Shuttle Payloads and Experiments</b>	<b>Document No.: MSFC-STD-561</b>	<b>Revision: B</b>
	<b>Effective Date: 11/18/04</b>	<b>Page 4 of 6</b>

- 1.1 This standard applies to Shuttle payloads (experiments, Mission Peculiar Equipment, etc.) for which MSFC has integration and or development responsibility. All structural and mechanical system hardware fasteners (NHB 1700.7) event.
- 1.2 Vibration testing has shown that thread fasteners may work loose and cause a hazard during actual flight conditions. This standard provides requirements and guidance for designers concerned with this potential problem.

## 2. APPLICABLE DOCUMENTS

- |    |               |   |
|----|---------------|---|
| a. | NASM33540     | Safety Wiring and Cotter Pinning, General Practices for                           |
| b. | MSFC-STD-486  | Threaded Fasteners, Torque Limits for   |
| c. | NASM1312-7    | Fastener Test Methods, Vibration  |
| d. | NASA-STD-5003 | Fracture Control Requirements for Payloads Using Space Transportation System      |
| e. | NSTS 1700.7   | Safety Policy and Requirements for Payloads Using the Space Transportation System |
| f. | NSTS 08307    | Criteria for Preloaded bolts  |
| g. | AS4536        | Safety Cable Kit Procurement Specification and Requirements for use               |
| h. | MWI 7120.4    | Documentation Preparation, Programs/Projects                                      |
| i. | MPR 7120.2    | Multiprogram/Project Common-Use Documentation                                     |
| j. | MSFC-SPEC-250 | Protective Finishes for Space Vehicle Structures and Associated Flight Equipment  |
| k. | MSFC-STD-506  | Materials and Processes Control Standard  |
| l. | MSFC-STD-2594 | MSFC Fastener Management and Control Practices                                    |

CHECK THE MASTER LIST VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

Multiprogram/Project Common-Use Document EI11		
Title: Threaded Fasteners, Requirements for Securing of Flight Hardware used on Shuttle Payloads and Experiments	Document No.: MSFC-STD-561	Revision: B
	Effective Date: 11/18/04	Page 5 of 6

### 3. DEFINITIONS

Threaded fasteners are defined as screws, bolts, and nuts that are designed to be removed and reinstalled without functional damage to the fasteners. The cognizant engineering organization is defined as the activity which designs and produces end items for delivery to the government. The prime contractor shall be the cognizant engineering organization for sub-contractors and vendors. The prime contractor may delegate this responsibility to the sub-contractors or vendors.

### 4. GENERAL REQUIREMENTS

The cognizant engineering organization shall be responsible for application of good engineering practices to insure the safety of any fastener not specifically covered by the following requirements. The government reserves the right to inspect, test, and modify any fastener system when the potential for a catastrophic failure exists.

### 5. DETAILED REQUIREMENTS

- 5.1 All hardware designs shall utilize MSFC-STD-486 to establish the torque requirements, and these values shall be shown on the drawings. Design drawings shall specify which fasteners are to be safety wired, safety cabled, or cotter pinned. Safety wire, safety cable, cotter pins, and locking compounds shall be specified by part number on the drawing. Materials used for safety wire, safety cable, cotter pins shall comply with Table III of MSFC-SPEC-250. Safety wire and cotter pins shall be installed in accordance with MS33540; safety cable shall be installed in accordance with SAE Aerospace Standard AS 4536.
  - 5.1.1 Fracture critical threaded fasteners (per NHB 8071.1) shall be safety wired, safety cabled, or cotter pin to provide mechanical safing. Random vibration testing of the as used configuration shall not be used to justify a waiver to this requirement.
  - 5.1.2 Threaded fasteners used in application of retaining a rotating device (wheel and axle concept) shall be safety wired, safety cabled, or cotter pinned. Random vibration testing of the used configuration shall not be used to justify a waiver to this requirement.
  - 5.1.3 Redundant threaded fasteners (non fracture critical) shall employ safety wire, cotter pins, or self-locking threaded devices, or approved locking compounds. A Materials Usage Agreement (MUA) in accordance with (IAW) MSFC-STD-506 shall be submitted for all proposed locking compounds. Self-locking threaded devices shall meet MIL-STD-1312-7 or equivalent, as defined in the threaded fastener's standards procurement specification.
  - 5.1.4 Hardware which is designed for permanent installation shall use non-removable type fasteners, where possible. Designs for non-permanent installations (e.g., experiments or

CHECK THE MASTER LIST VERIFY THAT THIS IS THE CORRECT VERSION BEFORE USE

<b>Multiprogram/Project Common-Use Document EI11</b>		
<b>Title: Threaded Fasteners, Requirements for Securing of Flight Hardware used on Shuttle Payloads and Experiments</b>	<b>Document No.: MSFC-STD-561</b>	<b>Revision: B</b>
	<b>Effective Date: 11/18/04</b>	<b>Page 6 of 6</b>

structural members that are changed for different flights) requiring the use of threaded fasteners shall avoid configurations that include inaccessible or difficult locations.

- 5.1.5 Exposed sharp ends of locking devices that could damage astronaut equipment or rupture lines during EVA shall be sealed with an approved compound. A MUA IAW MSFC-STD-506 shall be submitted for all proposed sealants.
- 5.1.6 Special precaution shall be exercised to preclude the possibility of mechanical equipment becoming jammed. When installing safety wire, safety cable, or cotter pins, cutoff remains shall be collected and properly discarded.
- 5.1.7 All hardware designs shall utilize the analysis methodology provided in NSTS08307. The procedure outlined in this document ensures that preloaded bolts have adequate strength and life, and that the joint itself will not experience separation.
- 5.1.8 Structural, fracture critical, and safety critical fasteners as defined by the program/project that are procured, received, tested, inventoried or installed for space flight by the Center or its contractors must meet the requirements of MSFC-STD-2594.

FILE NO. MSFC-STD-561

203 -

DR060PR0

PACKAGE NO. 10443R

DOCUMENTATION RELEASE LIST  
GEORGE C. MARSHALL SPACE FLIGHT CENTERMSFC CODE IDENT 14981/339B2  
ISSUE DATE FEB 22 2007

PAGE 1

C H	DOCUMENT NUMBER	DRL DRL DSH REV	TITLE	CCBD NO.	PCN	PC	EFFECTIVITY
*	MSFC-STD-561	203 -	THREDED FASTENERS, SECURING OF FLIGHT HARDWARE USED ON SHUTTLE PAYLOADS AND EXPERIMENTS	000-00-0000	0000000	ZA	NONE

CHG NO.	CHG REV	CHG NOTICE	RESPONSIBLE ENGINEER	RESPONSIBLE ORGANIZATION	ACTION DATE	DESCRIPTION	
*	2	S	DCN000	EUGENA GOGGANS	EO03	02/22/07	DOCUMENT RELEASED THRU PDS. NO LONGER TRACKED IN ICMS.

CHECKER

N/A  
02/15/07

(FINAL)

## DOCUMENTATION PACKAGE/ROUTING REPORT

02/22/07 DR120PRO PAGE 1

PACKAGE NO: 10443R

PROGRAM/PROJECT: MULTI

LAST UPDATED: 02/22/07

NOMENCLATURE: MSFC-STD- GOING TO NONE EFFECTIVITY

ECR NO:	PCN:	CCBD NO:	DATE PREPARED:
EO03-0000	0000000	000-00-0000	02/22/07
		SB3-00-0000	

DWG SIZE	DRAWING NUMBER	DWG REV	EPL/DRL/DDS NUMBER	DWG REV	EPL DSH	EPL REV	EO DASH NUMBER	EO REV	PART NUMBER
			MSFC-HDBK-1453		202	-			
			MSFC-HDBK-1674		202	-			
			MSFC-HDBK-2221		203	-			
			MSFC-HDBK-505		202	-			
			MSFC-HDBK-670		202	-			
			MSFC-MNL-1951		209	-			
			MSFC-PROC-1301		202	-			
			MSFC-PROC-1721		202	-			
			MSFC-PROC-1831		202	-			
			MSFC-PROC-1832		202	-			
			MSFC-PROC-404		202	-			
			MSFC-PROC-547		202	-			
			MSFC-QPL-1918		204	-			
			MSFC-RQMT-1282		202	-			
			MSFC-SPEC-1198		202	-			
			MSFC-SPEC-1238		202	-			
			MSFC-SPEC-1443		202	-			
			MSFC-SPEC-164		202	-			
			MSFC-SPEC-1870		202	-			
			MSFC-SPEC-1918		203	-			
			MSFC-SPEC-1919		206	-			
			MSFC-SPEC-2083		202	-			
			MSFC-SPEC-2223		202	-			
			MSFC-SPEC-2489		206	-			
			MSFC-SPEC-2490		205	-			
			MSFC-SPEC-2491		203	-			
			MSFC-SPEC-2492		203	-			
			MSFC-SPEC-2497		211	-			
			MSFC-SPEC-250		202	-			
			MSFC-SPEC-445		202	-			
			MSFC-SPEC-504		202	-			
			MSFC-SPEC-521		202	-			
			MSFC-SPEC-548		202	-			
			MSFC-SPEC-560		202	-			
			MSFC-SPEC-626		202	-			
			MSFC-SPEC-684		202	-			
			MSFC-SPEC-708		202	-			
			MSFC-SPEC-766		202	-			
			MSFC-STD-1249		202	-			
			MSFC-STD-1800		202	-			
			MSFC-STD-246		202	-			
			MSFC-STD-2594		203	-			



## DOCUMENTATION PACKAGE/ROUTING REPORT

02/22/07 DR120PR0 PAGE 2

PACKAGE NO: 10443R

DWG SIZE	DRAWING NUMBER	DWG REV	EPL/DRL/DDS NUMBER	DWG REV	EPL DSH	EPL REV	EO DASH NUMBER	EO REV	PART NUMBER
			MSFC-STD-2903		202	-			
			MSFC-STD-2904		202	-			
			MSFC-STD-2905		202	-			
			MSFC-STD-2906		202	-			
			MSFC-STD-2907		202	-			
			MSFC-STD-366		202	-			
			MSFC-STD-383		202	-			
			MSFC-STD-486		202	-			
			MSFC-STD-506		203	-			
			MSFC-STD-531		202	-			
			MSFC-STD-557		202	-			
			MSFC-STD-561		203	-			
			MSFC-STD-781		202	-			

SUBMITTED BY ENGINEERING AREA:	BASIC	CHANGE	PARTIAL	COMPLETE	CLOSES	ACTION
EO03		X		X	EO03	

PREPARED BY:  
EUGENA GOGGANS  
12/19/06

SUBMITTED BY:

CONCURRENCE:

TRANSMITTAL DATES  
TO RELEASE DESK 02/22/07 10:00  
TO MSFC DOC REP 02/22/07 00:00

REMARKS:

2007 FEB 22 AM 11:22

**MSFC DOCUMENTATION REPOSITORY - DOCUMENT INPUT RECORD****I. GENERAL INFORMATION**

1. APPROVED PROJECT: Multiprogram Project	2. DOCUMENT/DRAWING NUMBER: MSFC-STD-561 Rev B	3. CONTROL NUMBER:	4. RELEASE DATE: 11/18/2004	5. SUBMITTAL DATE: 11/30/2004
--	---	--------------------	--------------------------------	----------------------------------

6. DOCUMENT/DRAWING TITLE: THREADED FASTENERS, REQUIREMENTS FOR SECURING OF FLIGHT HARDWARE USED ON SHUTTLE PAYLOADS AND EXPERIMENTS	7. REPORT TYPE:
--	-----------------

8. CONTRACT NUMBER / PERFORMING ACTIVITY:	9. DRD NUMBER:	10. DPD / DRL / IDRD NUMBER:
---	----------------	------------------------------

11. DISPOSITION AUTHORITY (Check One): <input checked="" type="checkbox"/> Official Record - NRRS 8/11/A <input type="checkbox"/> Reference Copy - NRRS 8/5/A/3 (destroy when no longer needed)	12. SUBMITTAL AUTHORITY:	13. RELEASING AUTHORITY:
--	--------------------------	--------------------------

14. SPECIAL INSTRUCTIONS:
---------------------------

15. CONTRACTOR/SUBMITTING ORGANIZATION, ADDRESS AND PHONE NUMBER: Andre Miller E11 Structural Design Branch MSFC, A1 35812  ph. 256-544-7014	16. ORIGINATING NASA CENTER: MSFC  17. OFFICE OF PRIMARY RESPONSIBILITY: E11 Structural Design Branch
---	---

18. PROGRAMMATIC CODE (5 DIGITS): 127-10-1E	19. NUMBER OF PAGES:
---	----------------------

**II. ENGINEERING DRAWINGS**

20. REVISION:	21. ENGINEERING ORDER:	22. PARTS LIST:	23. CCBD:
---------------	------------------------	-----------------	-----------


**III. REPORTS, SPECIFICATIONS, ETC.**

24. REVISION:	25. CHANGE:	26. VOLUME:	27. BOOK:	28. PART:	29. SECTION:
30. ISSUE:	31. ANNEX:	32. SCN:	33. DCN:	34. AMENDMENT:	
35. APPENDIX:	36. ADDENDUM:	37. CCBD:	38. CODE ID:	39. IRN:	

**IV. EXPORT AND DISTRIBUTION RESTRICTIONS**

<input type="checkbox"/> Privacy Act (see MVI 1382.1)	<input type="checkbox"/> EAR (see MPG 2220.1)
<input type="checkbox"/> Proprietary (see MPD 2210.1)	<input type="checkbox"/> Other ACl (see NPG 1620.1 and MPG 1600.1)
<input type="checkbox"/> Patent (see MPG 2220.1)	<input checked="" type="checkbox"/> No statutory or institutional restrictions applicable -- material may be electronically distributed to user in the NASA domain
<input type="checkbox"/> ITAR (see MPG 2220.1)	

**V. ORIGINATING ORGANIZATION APPROVAL**

40. ORG. CODE: ED23	41. PHONE NUMBER: (256) 544-7014	42. NAME: ANDRE MILLER	43. SIGNATURE/DATE:  11/30/04
------------------------	-------------------------------------	---------------------------	--

**VI. TO BE COMPLETED BY MSFC DOCUMENTATION REPOSITORY**

44. RECEIVED BY: 	45. DATE RECEIVED: 12-6-04	46. WORK ORDER: 63-001005
--	-------------------------------	------------------------------